

Calendario de vacunación escolar obligatorio y recomendado de Indiana 2024-2025



GRADO	VACUNAS OBLIGATORIAS	VACUNAS RECOMENDADAS
Preescolar	<ul style="list-style-type: none"> • 3 Hepatitis B • 4 DTTa (difteria, tétanos y tosferina acelular) • 3 Polio 	<ul style="list-style-type: none"> • 1 Varicela • 1 SRP (sarampión, rubéola y paperas) • 2 Hepatitis A
Nivel inicial (K) a 5.º grado	<ul style="list-style-type: none"> • 3 Hepatitis B • 5 DTTa • 4 Polio 	<ul style="list-style-type: none"> • 2 Varicela • 2 SRP • 2 Hepatitis A • 2 Hepatitis A
De 6.º a 11.º grado	<ul style="list-style-type: none"> • 3 Hepatitis B • 5 DTTa • 4 Polio • 2 Varicela 	<ul style="list-style-type: none"> • 2 SRP • 2 Hepatitis A • 1 MCV4 (meningocócica) • 1 DTTa de refuerzo
12.º grado	<ul style="list-style-type: none"> • 3 Hepatitis B • 5 DTTa • 4 Polio • 2 Varicela 	<ul style="list-style-type: none"> • 2 SRP • 2 Hepatitis A • 2 MCV4 • 1 DTTa de refuerzo

División de vacunación del Departamento de Salud del Estado de Indiana | 800-701-0704

Hepatitis B: la edad mínima para recibir la tercera dosis de la vacuna contra la Hepatitis B es de 24 semanas.

DTTa: se aceptan 4 dosis de DTTa/DTT/DT si la cuarta se le dio a partir de los 4 años.

Polio*: se aceptan 3 dosis contra la poliomielitis para todos los grados si la tercera dosis fue a partir de los 4 años y si transcurrieron 6 meses de la dosis anterior.

* Para los estudiantes entre nivel inicial (K) y 10.º grado, la última dosis debe darse a partir de los 4 años con 6 meses entre una dosis y otra.

Varicela: la constancia de enfermedades previas emitida por el médico, con el año y el mes, sirve como prueba de inmunidad para los niños que ingresan a preescolar y hasta 12.º grado. No se aceptan informes de los padres sobre los antecedentes de enfermedades.

DTTa de refuerzo: no hay un intervalo mínimo que deba transcurrir desde la última dosis de DT.

MCV4: las personas que reciben la primera dosis a partir de los 16 años solo necesitan 1 dosis de la vacuna.

Hepatitis A: el intervalo mínimo que debe transcurrir entre la primera y la segunda dosis es de 6 meses calendario. Los niños entre preescolar y 12.º grado deben contar con 2 dosis.



**INDIANA
IMMUNIZATION
COALITION**

Para obtener más información sobre las vacunas, visite vaccinateindiana.org o llame al 317-628-7116

INDIANA 2024-2025 Required and Recommended School Immunizations



GRADE	REQUIRED	RECOMMENDED
Pre-K	<ul style="list-style-type: none"> • 3 Hepatitis B • 4 DTaP (Diphtheria, Tetanus & Pertussis) • 3 Polio 	<ul style="list-style-type: none"> • Annual influenza • COVID vaccine • Haemophilus influenzae type b (Hib) • Pneumococcal conjugate
K-5th grade	<ul style="list-style-type: none"> • 1 Varicella (Chickenpox) • 1 MMR (Measles, Mumps & Rubella) • 2 Hepatitis A 	<ul style="list-style-type: none"> • Annual influenza • COVID vaccine • Haemophilus influenzae type b (Hib) • Pneumococcal conjugate
6th-11th grade or starting at 10 years of age	<ul style="list-style-type: none"> • 2 MMR • 2 Hepatitis A • 1 MCV4 (Meningococcal) • 1 Tdap (Tetanus, Diphtheria & Pertussis) 	<ul style="list-style-type: none"> • Annual influenza • 2/3 HPV (Human papillomavirus) • COVID vaccine
12th grade or starting at 16 years of age	<ul style="list-style-type: none"> • 2 MMR • 2 Hepatitis A • 2 MCV4 • 1 Tdap 	<ul style="list-style-type: none"> • Annual influenza • 2/3 HPV • 2 MenB (Meningococcal) • COVID vaccine

HepB: The minimum age for the 3rd dose of Hepatitis B is 24 weeks of age.

DTaP: 4 doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's 4th birthday.

Polio*: 3 doses of Polio are acceptable for all grade levels if the 3rd dose was given on or after the 4th birthday and at least 6 months after the previous dose.

*For students in grades K-10, the final dose must be administered on or after the 4th birthday and be administered at least 6 months after the previous dose.

Varicella: Physician documentation of disease history, including month and year, is proof of immunity for children entering preschool through 12th grade. Parent report of disease history is not acceptable.

Tdap: There is no minimum interval from the last Td dose.

MCV4: Individuals who receive dose 1 on or after the 16th birthday only need 1 dose of MCV4.

Hepatitis A: The minimum interval between 1st and 2nd dose is 6 calendar months. 2 doses are required for all grades Pre-K through 12.

**Indiana State Department of Health,
Immunization Division | 800-701-0704**



**INDIANA
IMMUNIZATION
COALITION**
#VACCINATEINDIANA

To learn more about vaccines,
visit vaccinateindiana.org
or call **317-628-7116**